

ELEGANT

cube fine

Sideboard

Room divider

Media modules

Design: Werner Aisslinger



Collection information

- Collection overview 4
- Colours and accent materials 6
- Planning 8
- Customisation 10
- Cover panels and sides 12
- Accent materials 14
- Fronts and functions 15
- Handle functions 16
- Leg elements, stand and frame types 18
- TV modules and TV panels 20
- Media modules 20/22
- Speaker modules 21/24
- Rotary column for TV 21
- Cable inlet 21
- Tables 25
- Lighting 26
- Interiors 26



cube fine

delicate and elegant colour accenting

The cube fine concept was designed to allow for the creation of cabinets, sideboards and lowboards that are as elegant as they are expressive. Its defining features are a striking interplay of spacing between the panels and the ability to create particularly harmonious and integrated exteriors. Equally versatile is the interplay of colour and material that allows for restrained or lively accenting, starting with an integrated room design of fine veneered woods, matt lacquer or high-gloss colours. And because the little details are as important as your unique taste, individual cover shelves and side surfaces can also be individually designed to harmonise with or juxtapose against the rest of the interior. The designs include open and closed elements, various handles and graceful handle strips as well as push-to-open mechanisms and, of course, the discreet integration of media devices. Depending on how you want it to function, flexible interiors with ordering systems and various inserts can be designed, and TV panels can even be integrated.


















Design: Werner Aisslinger



Collection overview cube fine


Collection overview cube fine

Modules in depths 35.0 / 50.0 / 65.0 cm

6 M	 H 130.8 x W 50.0	 H 130.8 x W 65.0	 H 130.8 x W 100.0	<p>Module functions</p>  Open	
5 M	 H 109.0 x W 50.0	 H 109.0 x W 65.0	 H 109.0 x W 100.0		 Hinged door
4 M	 H 87.2 x W 50.0	 H 87.2 x W 65.0	 H 87.2 x W 100.0		 Drawers
3 M	 H 65.4 x W 50.0	 H 65.4 x W 65.0	 H 65.4 x W 100.0		
2 M	 H 43.6 x W 50.0	 H 43.6 x W 65.0	 H 43.6 x W 100.0		 Flap
1.5 M	 H 32.7 x W 50.0	 H 32.7 x W 65.0	 H 32.7 x W 100.0		
1 M	 H 21.8 x W 50.0	 H 21.8 x W 65.0	 H 21.8 x W 100.0		

Depths 35.0/50.0 cm up to 3 R also as wall-mounted module

Cover panels



W max. 330.0
Th. 1.1

Module attachment



W max. 330.0, W (glass) max. 300.0
H 10.9

Stand and frame types

Skid frames only for depth 50.0



H 13.5 x W 50.0 - 130.0



H 13.5 x W 130.1 - 330.0

Leg elements




H 2.5

Castors




H 2.5


Tables in widths up to 330.0 cm and in depths 50.0 / 65.0 / 85.0 / 100.0 cm



on module tower




with table side panels



on leg element (H 72.4)

Combinations



Colours and materials for fronts, cover panels, cover panels, tables

Matt lacquer



Individual lacquer/Customised lacquer

Individual lacquer matt without control sample

Order your custom colour as a matt lacquer based on the RAL, NCS and SIKKENS colour fans.

Interlücke processes the order without sending you a control sample. This rule only applies for matt lacquer, not neon or metallic colours.

Customised lacquer with control sample


Choose your colour on the basis of the RAL, NCS, SIKKENS colour fans or your own sample (minimum size DIN A4) and Interlücke will produce the lacquer for you after approval of the control sample.

These rules apply to all high-gloss surfaces and customer colours. The delivery date is set once the sample has been approved.


For details about individual and customised lacquer, see page 2 of the component price list.

Colours and materials for fronts, cover panels, cover panels, tables

Matt lacquer metallic



Wood



High-gloss lacquers



Accent colours and materials for cover panels

matt glass T.. / clear glass S..

T03 / S03 snow-white

T14 / S14 platinum

T29 / S29 fog

T21 / S21 anthracite

T22 / S22 onyx

T80 / S80 laguna

T81 / S81 bahia

T82 / S82 atlantic

T83 / S83 navy

T08 / S08 greige

T36 / S36 mastic

T37 / S37 manor

T38 / S38 capparisi

T39 / S39 cardamom

T40 / S40 masala

T02 / S02 crystal-white

T06 / S06 alabaster

T23 / S23 shell

T24 / S24 flint-grey

T16 / S16 elephant

T49 / S49 rose quartz

T44 / S44 guave

T42 / S42 mallow

T41 / S41 burgundy

Accent colours and materials for cover panels

Stone


027 limestone - graphite brown patinatio

028 granite - infinity brown polished


024 marble - Arabescato corchia glänzend

026 quartzite - Taj mahal satin


Modules of the same depth can be stacked to a tower height of 218.0 cm, in any order.




Module towers of the same height can be stacked together in an almost endless variety of ways. The front can be positioned either forward or backward.



It is also possible to connect a wider module with two or more narrower units. Shifted Structure possible up to 4 M.



Module towers arranged side by side are then framed to one piece using cover sides and a single cover panel of up to three metres.



Module configuration and opening positions

The modules can be stacked together in any number of ways, the resulting module towers lined up exactly as you want them.

The module-tower combination must always be closed with a cover panel and the ends bordered with cover sides. A lower cover strip may be added as a finishing touch.


Room-divider units must include a room-divider back panel for each module.

Wall model


In addition to the floor-based models, the modules of various heights, depths (35.0 / 50.0 cm) and widths can also be mounted to the wall.

→ Possible opening positions

Front view



View from above




Room divider

Modules of 50.0 and 65.0 cm can be implemented as room dividers.

Room-divider back panels must be separately ordered for single modules.

→ Possible opening positions
 — Room-divider back panel

View from above



Page 6/7


Colours for modules and fronts

- matt lacquer
- high-gloss lacquer
- woods (fronts only)

Page 14

Fronts and functions

- hinged doors
- drawers
- flaps
- open modules



Page 12/13

Cover panels

- matt lacquer
- high-gloss lacquer
- woods
- glass
- stone

Page 9/12

Cover strips (optional)

- matt lacquer
- high-gloss lacquer
- woods

Page 15

Handle types

- push-to-open (without handle)
- handle strip
- handle
- mini grip
- leather handle

Page 6/13

Cover sides

- matt lacquer
- high-gloss lacquer
- woods






Page 16/17

Stand and frame types

- leg elements
- skid frame (illustrated)
- castors
- wall-mounted

Customisation examples

All unit combinations are depicted at the same scale.



Example of combination of cube fine with cube play
see cube play page 2

Cover panels and sides cube fine



Framing

All-round framing, consisting of cover panel, cover side and (optionally) a lower cover strip, creates a refined look.

Framing can also be further emphasised through colour or material accents.

Widths in cm:

- one-piece up to max. 332.7
- glass up to max. 302.9
- Stone up to max. 270.0
- Wood up to max. 290.0

Excepted:

- C74 smoked pommele eucalyptus max. 260.0
- D75 bog oak 290.0 cm depending on availability
- For larger widths, multiple panels required.

panel thickness in cm: 1.1



Module attachment



A module attachment can be used to replace the cover panel. Attachments are available in all matt-lacquer colours and woods,



and can also be used between modules.

Accent materials for cover panels and sides cube fine

Accent materials


Cover panels available in all matt and high-gloss colours. The accent materials wood, glass or stone overlay are available.

Stone overlay

Four natural stones with a range of colours, structures and surfaces that couldn't be more different provide new design options for cube gap.

Polished arabescato corchia marble sets strong accents with its dark structures and elegant shine. **Graphite brown patinato (limestone)** stands out due to its white crystallite lines, which traverse the stone at irregular intervals. **Polished infinity brown granite** is a very impressive stone which matches ideally with many of the new interlücke colours. From snow-white, to manor and onyx through to rose quartz. Gentle shades combined with a hardness which exceeds that of granite are typical of **Taj Mahal (quartzite)**.

The care product supplied as standard keeps these high quality stones attractive on a permanent basis. It is applied to the surface several times before initial use and subsequently applied again at regular intervals. It only offers limited protection against acidic substances, however. These should therefore be cleaned off immediately, especially in the case of marble and limestone.



Wood

Natural oak and natural walnut - in a natural and modern interpretation with transparent water-based lacquers and streaky veneers for something of a graphic appeal which harmonises excellently with the puristic.

Ash quartz and ash agate result in elegant tone-in-tone compositions, occur when ash quartz is combined with shell, mastic, flint-grey or manor, or ash agate is combined with flint-grey, atlantic, anthracite, bronze or gold metallic.

Smoked pommele eucalyptus, a variety of wood with a rarity value in warm, dark brown, permanent colours created by curing.

Bog oak which has been preserved in bogs for up to 8,500 years and is discovered in dried swamps is considered to be unique. Its colour therefore varies from one log to the next.



* max. length: C74 - 260 cm, D75 - 290 cm depending on availability

Glasses in 24 colours

Matt and clear glass cover panels are available in all 24 matt lacquers for cube fine, see page 8.



Fronts and functions cube fine



Open modules

Heights in cm:	Widths in cm:	Depths in cm:
21.8	50.0	35.0
32.7	65.0	50.0
43.6	100.0	65.0
65.4		
87.4		
109.2		

Modules with hinged doors with 110° opening angle and cushioned closing

Heights in cm:	Widths in cm:	
43.6	50.0 (1 hinged door)	
65.4	65.0 (1 hinged door)	
87.2	100.0 (2 hinged doors)	Doors cannot be wider than they are high.
109.0	130.0 (2 hinged doors)	
130.8		



Modules with drawers with underfloor full-extension runners and cushioned closing

Drawer height in cm:	Widths in cm:	Depths in cm:
10.9	50.0	35.0
21.8	65.0	50.0
32.7	100.0	65.0
43.6	130.0	



Modules with flaps with stainless-steel pulleys

Flap height in cm:	Widths in cm:
21.8	50.0
32.7	65.0
43.6	100.0
	130.0

Exclusive interlücke:

The drawers are equipped with 0.4 cm aluminium sides in warm cashmere grey. Bottom and rear wall are also finished in cashmere grey.

Handle types cube fine



Handle types

A variety of handle types are available in the cube fine range.

The push-to-open type offers fronts of clean lines and refined spacing. But even the delicate handle strips, smooth button and flat handles are functional without disturbing cube fine's elegant style.

The noble, in the front edge integrated leather handle with a grained surface is available in black and brown.



Push-to-open (no handle)



Handle strip



Flat handle



Mini grip



Leather Handle, black



Leather Handle, brown

Stand and frame types cube fine




Leg elements of dark grey plastic in height 2.5 cm



Feet of dark grey plastic in height 2.5 cm with lower cover strip



Castors for room dividers in height 2.5 cm




Leg elements




Castors

Stand and frame types cube fine


Skid-frame versions



With closing sides
of max. 130.0 cm sideboard width possible



Staggered skids
2 skids for 150.0 - 260.0 cm sideboard widths



Staggered skids
3 skids for 265.0 - 330.0 cm sideboard widths


Staggered skids can be positioned in gaps of 30.0 / 40.0 / 50.0 cm to the outer edge.



Types of skid




open types




closed types

Skid frames

2 types available at height 13.5 cm:
- open types
- closed types



Wall-mounted



Skid frames

New modules that make technology invisible

To create a cosier atmosphere, media technology, soundbars and speakers should ideally be hidden. At the same time, our living rooms are full of more and more devices (e.g. external storage media, games consoles) that require storage space.

Flat-screen TVs have little space for speakers, which is why soundbars are increasingly popular. The new interlück modules provide the ideal solution - in terms of function, appearance and space.



Media module

The audio fronts of the media modules, with their metal plate in all matt lacquers and narrow 8 mm frames are an ideal fit with the adjacent cube gap, cube fine and cube change fronts. In cube gap, the audio fronts have handle metal plate, while cube fine and change feature push-to-open or handles (exception: mini grip).

The special hexagonal holes on the metal strip ensure optimal sound with 2/3 open space.

Module size
Width in cm: 100.0 / 130.0
Height in cm: 21.8 / 43.6
Depth in cm: 50.0



Speaker module

For speakers or sub-woofers, with lacquered audio front in all matt lacquers colour-coordinated with the adjacent fronts.

Module size
Width in cm: 50.0 / 65.0
Height in cm: 43.6
Depth in cm: 50.0



cube fine

The smart cover panels and sides pick up the look of the just 8 mm thick frame of the audio fronts, creating a perfect visual ensemble.




interlück rotary column for TV

Plannable on media modules and modules with hinged doors, drawers and flap.

In the rotary column for TV, cables are guided downwards out of view. Fastening takes place invisibly beneath the cover panel (without a visible mounting plate). The space beneath the TV rotary column is usable.


Thanks to its outstanding rotational characteristics, it stays put in any desired position. The sleeve is available in chrome or matt lacquers. The TV mount on the metal mounting bracket included in the scope of delivery by interlück is suitable for all common 32- to 55-inch TVs up to max. 400 x 400 mm and a max. bearing capacity of 30 kg.

Module size
Rotatable up to: 252°
Diameter in cm: 7.5
Height in cm: 63.0



Intelligently designed cabling system:

Two vertical, black cable covers behind the devices ensure a cable-free interior. For ventilation purposes, the back wall is comprised of three parts.



Cable inlet for visible surfaces

It blends in with furniture in both shape and colour. The cover panel, which is just 0.2 cm thick and available in all matt lacquers, is installed flush with the surface if the cube table and cover panels with matt lacquered surfaces.

Width in cm: 17.0
Depth in cm: 6.9

Magnets guarantee a strong bond and easy disassembly of the graphically shaped cover panel at any time, while the black brush ensures a dust-free interior body. The cut-out is large enough to accommodate a hand for easy cabling.



Perfect interior design

Media modules impress both inside and out with their resomastic design and features. The interior body, acoustic material and equipment elements are completely black. A height-adjustable grey glass shelf, sleek fittings and a clever cable management system provide space for practically all media devices.



Elegant, low-profile hinges and flap stays offer optimal use of storage space. The black interior body with a grey glass shelf matches the colour schemes of the devices stored inside. With 130 mm wide media modules, the grey glass shelf is supported by a vertical brace in the centre.



Special acoustic material on the back of the front ensures that the infra-red signals of the remote control can penetrate.

If necessary, you can also order the infra-red transmission set.



Retractable shelves for convenient cabling of devices and to protect the fabric strip on the interior are available if desired. The 100 cm wide media modules can accommodate two 45 cm wide retractable shelves, while the 130 cm versions have space for two 60 cm shelves.



The cable channel beneath the upper shelf provides space for electrical sockets. Can be positioned as desired.




If necessary, cable rosettes can be ordered for the unit sides/shelves for cabling through adjoining modules or the unit shelf.




Quality service means everything is included for assembly. The standard set consists of five reusable cable binders with Velcro surface and three flat cable holders for feeding the cables through adjoining modules which also fit above drawers.

Interior dimensions 2M – front view




*Glass shelf adjustable in 3 steps of 3.2 cm

Interior dimensions 2M – side view




Interior dimensions 1M – front view



All dimensions in cm

Interior dimensions 1M – side view






Tabletops

Depths in cm: 50.0 / 65.0 / 85.0 / 100.0
 Width in cm: max. 330.0
 Thickness in cm: 2.9


Available in all matt lacquers in the interlücke colour range and in interlücke woods.



Side view


Table types

The cube fine table can either have the same frame type on both sides or a combination of two different types. Direct combination with a sideboard is also possible.




Side panels

Side panels mitred to the tabletop.



Foot


Available in all matt lacquers and woods from the interlücke range. Base panel is made of chrome. The tabletop must be at least 65.0 cm deep.



Module



The module is manufactured as a base module including cover panel. The tabletop floats on top of a spacing panel.

Interior dimensions 2M – front view



All dimensions in cm

Interior dimensions 2M – side view



If necessary, cable rosettes can be ordered for the unit sides for cabling through adjoining modules, without surcharge.



The sub-woofer outlet (optional) in the base is covered with acoustic material and ensures additional downward sound emission in modules with 2.5 cm adjustable feet and wall-mounted modules. The cable rosette is included as standard.

The sub-woofer outlet in wall-mounted modules is covered inside and out with the acoustic material.

Diameter in cm: 20.0



Module in combination with sideboard.



Leg element used on both sides.

Interior arrangement and lighting for open modules and for modules with hinged doors and flaps

Back-light

LED light profile with colour temperature control, running along 3 sides of the back panel.

A basic set or extension set is required for the power supply. The basic set includes a remote control for switching on and off, controlling and dimming the colour temperature.

The back-light is not possible with a wall-mounted unit.



Mounted light profile

The translucent mounted light profile is flush-mounted in the body. The width and depth depend on those of the structural shelf. The distance to the lateral edges and the front edge is 10 cm.

A basic set or extension set is required for the power supply. The basic set includes a remote control for switching on and off, controlling and dimming the colour temperature.



Removable shelves in lacquer
The removable shelves for open modules from cube fine and cube change have chamfered front edges.



Bottle rack as removable shelf



Removable shelves in glass



Shoe rack for 35 cm deep modules with hinged door Additional removable shelves are not possible.